

PREMIUM Fire Blankets



UK Manufactured Fire Blankets

When fire strikes you want a reliable, quality fire blanket you can trust.

Jactone Premium Range fire blankets are manufactured in the UK in our own purpose-built facility. They are constructed from a unique 3-ply material, that continues to produce an unblemished safety record unrivalled in the industry. Establishing Jactone as the market leader of certified fire blankets.

The Premium Range fire blanket is LPCB certified to BS EN 1869: 2019, the European Standard for fire blankets, providing complete peace of mind in its performance when it is needed most. For added value, we also offer the option of corporate branded fire blanket labels.



› Jacpack

Compact and practical, the one piece holder is available in red or white.

Available sizes:

1.1x1.1m, 1.2x1.2m, 1.8x1.1m, 1.8x1.2m and 1.8x1.75m

› Flat Pack

Soft and flexible red material holder.

Available sizes:

1.1x1.1m, 1.2x1.2m, 1.8x1.1m, and 1.8x1.2m

› Square Pack

Compact size is ideal for use where space is at a premium. White rigid plastic holder.

Available sizes:


1.1x1.1m

Benefits and Features



Made In Britain

Jactone Premium Range fire blankets are manufactured in our factory in the UK. This ensures complete control over the quality of our products.



3-Ply Material

Jactone JT510 fire blankets are constructed from a unique 3-ply material of two layers of woven glass fibre fabric with an inner layer of fire retardant film.



Fully Certified

The Premium Range is manufactured under our BS EN 9001 quality management system, and they are certified to BS EN 1869:2019.



Company Branding

Utilising our digital print and graphics suite, our design team can take your company logo and brand and create bespoke fire blanket labels for your organisation.



Guarantee


All Jactone Premium Range fire blankets come with a 5 year guarantee and are backed up with comprehensive technical support.

The Facts about Fire Blankets



Meeting the Standard

The JT510 material used for all Jactone fire blankets is certified to the latest revision of BS EN 1869:2019, the European Standard for fire blankets. The latest revision assesses the performance of fire blankets against both cooking oil fires and flammable liquid fires. Testing to both types of fire gives Jactone fire blankets multi-purpose use.




The Fire Triangle

The fire blanket must have the ability to eliminate oxygen from the burning cooking oil or flammable liquid to initially extinguish the fire. Good flexibility and draping qualities of the fire blanket are essential to achieve this aim. Jactone JT510 fire blanket material does just this.

Performance



To extinguish a cooking oil fire, the fire blanket must eliminate oxygen from the burning oil and allow the oil to cool gradually to below its self-ignition temperature. The fire must not reignite when the blanket is removed after 17 minutes. For a flammable fuel fire, it must not reignite when the blanket is removed after 4 minutes.



Unique Material

Controlled cooling is a key to a fire blankets performance. The Jactone JT510 fire blanket has a unique 3-ply construction to do this, made of two layers of woven glass fibre fabric with an inner layer of fire retardant film. It is this construction that is at the forefront of the fire blankets unblemished safety record.

PREMIUM Fire Blankets



UK Manufactured Fire Blankets

> www.jactone.com
> +44 (0)1902 357777
> sales@jactone.com

Springvale Business Park,
Springvale Avenue,
Bilston, West Midlands,
WV14 0QL
UNITED KINGDOM



Certificate No. FM 25049

